INDEX TO VOLUME 20

Page numbers printed in black-faced type refer to heading of articles or of sections. Names in lists of "Literature cited" are not included.

ABERLE, S. B. D., 253
ADELMANN, H. B., 105
AFIFY, A., 570, 571
Agar-agar, 110, 161
AGOL, I. J., 117
Agricultural College of Tokyo Imperial University, ix
Agriculture, Department of, Siam, ix
ALBERS-SCHÖNBERG, 545
Aleurodes proletella, 374
ALLEN, C. E., 192, 193
ALPATOV, W. W., 144, 221, 379
Alpha-Radiation, **230**, 231, 238, 245
Alpha-Rays, **230**, 235, 236, 238, 239, 243, 244
  Penetrating power, 232
  Producing lethal mutations, 246–248
  Sterilization produced, 244–246
ALTENBURG, E., 42, 230, 237, 501, 558
American Museum of Natural History, 378
Amherst College, 42
ANDERSON, E. G., **70**, 72, 74, 76, 79, 181, 182, 192, 196, 202, 340, 497
ANDERSON, R. L., 280
ANDERVONT, 586
Angiosperm, 449
Animal
  Inheritance of bodily conformation, 19
AOKI, KAORU, x
Ascaris, 340
Aucuba, 374
AVDULOV, N., 374
AVERY, P., 286, 297

BAGG, H. J., 545, 564, 587
BAKER, F. C., 453
Baldwin-Wallace College, 357
Banana-agar, 161
Barley, 36, 37, 40, 41
  Albinotic seedlings, 36–38, 40
  Difference in sowing times, **36**, 38, 40
  Gene
    Green, 36, 37
    White, 36–38, 40
  Genetics of, 36
  Plastid mutations, **36**, 38, 40, 41
Barnard College, 12
BARROWS, H. R., 530
BATESON, W., 444, 497, 532, 539
Bausch and Lomb dissecting microscope, 162
BEADLE, G. W., 70, 72, 73, 77, **179**, 180, 182, 187, 188, 190, **192**, 196, 198–200, 202, 497, 500, 516
BEDICHEK, S., **259**, 302, 327
BEERS, C. V., 366
BEINHART, E. G., 438
BELAR, K., 307
BELLING, J., 192, 325
BERGNER, A. D., 518
Beta vulgaris, 375
Births
  Colored, 250, 252–255
  Multiple, 250, **252**, 253–257
    Mediterranean racial stocks, 252
  Statistics, 250, 252–255
    White, 250, 252–255
BLAKESLEE, A. F., 374
BOCHE, R. D., 366, 367, 372, 377, 381, 392, 395, 398
BODEMANN, E., 546, 551, 553, 554, 556, 558, 559, 566
BONNER, T. W., 230
BONNIER, G., 128, 166
BOSTIAN, C. H., 280
BRANCH, 586
BRIDGES, C. B., 109, 167, 181, 182, 192, 223, 278, 497, 498, 500, 508, 511, 513, 516, 518, 524, 577
BRIEGER, 404
BRINK, R. A., **22–24**, 29, 71, 72, 74, 77, 79
BURNHAM, C. R., 34, 70–72, 74, 77, 79, 576, 577
Bussey Institution, 403, 414, 443

California Institute of Technology, **70**, **179**, **192**, **366**, **377**, **392**, 498, 570
California, University of, 286, 290, 403, **568**
Campanula, 374
Capsicum, 12
Carcinogenic agents, 586
Carnegie Institution of Washington, 223, 586
CAROTHERS, E. E., 374
CASTLE, W. E., 91
Cavia rufescens, 84
Caviidae, 105, 106
Charthippus, 307
CHEN, T. Y., 161, 169
CHESTER, K. S., 411
Chicago, University of, 84
Chicken, (see fowl)
CHILD, C. M., 105
CHILD, G. P., **109**, **127**, 131, 152, 166, 213, 219, 233
CHRISTOFF, M., 403, 404, 431
Citrus Experiment Station, 568
CLARKE, A. E., 72, 76
CLAUSEN, J., 373
CLAUSEN, R. E., 286–288, 297, 300, 403, 415, 417
CLOKEY, I. W., 74, 79
CLOUDMAN, A. M., 280
Coal tar derivatives, 586
College of Wooster, 357
Columbia University, **12**, **497**, 498, **581**
Coolidge tube, 80
COOPER, D. C., **22–24**, 29, 71, 72, 77, 571
CRAMPTON, H. E., 452
CRANE, M. B., 573
CREIGHTON, H. B., 22, 70, 72, 498

Crepis, 576, 577
Crepis dioscoridis, 576
CREW, 397
CROSS, J. C., 340
Crossover maps, **317**, 319
Cucurbita pepo, 13, 20
  Absence of correlation between shape and weight, 14
  Fruit shape, **14**, **15**–18, 20, 21
  Fruit size, 13, **14**, 15, 16, 19–21
  Genes determining size, 20
  Heredity of fruit characters, 13, 20
  Independent inheritance of shape and size, **13**, 19, 20
  Negative correlation between length and width, 16
  Segregation for shape, 13, **15**, 17
  Segregation sharper for shape index than for dimensions, 15
  Variability in length, **17**, 18

DALE, E. E., 9, 12
DARLINGTON, C. D., 189, 367, 382, 384, 571, 578
DARWIN, CHARLES, 450, 452
DAS, K., 257
Datura, 374
DEDERER, P. H., 374
Deer mice, geographical races, 465
Delphinium, 347, 349
DEMEREC, M., 40, 43, 342, 347–349
DE MOL, 577
DETLEFSEN, J. A., 84
Diaptomus castor, 374
DIX, H., 238
DOBROVOLSKAÏA-ZAVADSKAÏA, 545, 546, 560
DOBZHANSKY, TH., 278, 311, 320, 321, 338, **366**, 367, 372, 374, **377**, 381, 382, 384, 392, 395, 398, 400, 401, 497, 498, 500, 501, 505, 516, 551
DRIVER, E., 141, 152, 164, 169, 207, 220, 221
DRIVER, O., 141, 152
Drosophila, **42**, 43, 49, 50, 56, 66, 70, 80, **109**, 110, 117, **156**, 157, 160, 161, 163, 166, 181, 190, 191, 193, 196, 233, 301, 335, 340, 363, 364, 377–380, 382, 384, 389, 447, 497, 500, 501, 520–522, 559, 562, 563, 584
  Association between bristles, **109**, 110, **112**–114, 122, 123, 125, 161
    Culture methods, 110
    Selection, 111
  Attached-X stock, 313
  Bristle determination, 213, 219
  Bristle number, **109**, 110, 112
    Effects of genetic modifiers, 125
    Effects of genetic modifiers and temperatures
      Culture methods, 110
      Selection, 111
    Effects of temperature, **109**, 110, **114**–117, 119, 124
      Effect on mean bristle numbers, **114**, 153
  caribbea, 373
  Chiasmata, terminalization of, 318
  Chromocenter, 302–304, 311, 313, 317, 322, 324, 328, 330–333, 338
  Chromocenter region, 315, 318, 325

Drosophila (continued)
  Chromosome fusion, **327**, 329
  Chromosomes
    Multiple unions, 332
    Simple unions, 329, 338
  Chromosome structure, 301
  Crossing over in reduction divisions, 22
  Crossover maps, **317**, 319
  Culture conditions, 212
  Curled bristles, 225, 228, 229
  Cytological map of euchromatic area of third chromosome, 308
  Cytoplasmic inheritance, 57, 60, 67
  Dechorionated egg, **239**, 243
  Determinate disjunction, 390
  Diffusion hypothesis, **121**–125
  Duration of egg-larval period, **164**, 169
  Effect of etherization on X-ray mutation frequency, 364
  Effect of temperature on time of development, 127
  Egg
    Larval period, **213**, 214
    Photo-micrographs of, 234
  Facet number, 212, 213, 215, 216, 218, 220
  Facet number in eyes, 10
  Facet, temperature relation, 163, 164, 166, 168, 170
  Factor interaction, **223**, 225, 227–229
  Female hyperploid, 314
  Fertility, 52, 158, 182
  Fourth chromosome, 309, 312, 326, 338
  Gene action, rate theory of, 124
  Gene, eversporting, 177
  Gene for viability, 172
  Gene, mosaic, 161, 177
  Genotypic constitution, 179, 194, 205
  Gene
    Achaete, 172, **177**
    Apricot, 172, 173, 175, 177
    Arc, 505
    Balloon, 505
    Bar, 117, 141, **156**, 157, 162, 164, 166–170, 180, 181, 185, 193, 196, **207**, 219–221, 222
    Bar vestigial, 207
    Bare, 396
    Beaded, 223, 228, 229, 395
    Bent, 115, 131
    Black, 62, 66, 505, 506
    Blood, 66
    Bobbed, 172–174, 177, 259, 327, 330, 505
    Bristle, 55, 62, 505
    Carnation, 172, 174, 175, 177, 180, 181, 193, 194, 201, 259, 261, 330, 503, 505, 506
    Cinnabar, 506
    Claret, 314, 318
    Clipped, 223, 225–229
    Crossveinless, 172, 177, 193, 582
    Curled, 313, 321
    Curloid (curly wing), 60
    Cut, 50, 62, 204, 260, 503, 508, 512
    Cut-6, 193
    Delta, 581
    Dichaete, 51, 114, 116, 123, 124, 131, 141, 156, 157, 161

Drosophila (continued)
Gene (continued)
Dumpy, 506
Dusky, 363
Ebony, 65, 66
Echinus, 50, 62, 172, 177, 193, 260, 512
Eosin, 65, 237
Extended-wing, 60
Eyeless, 330
Forked, 172, 174, 177, 179–181, 193–195, 201, 202, 237, 260, 261, 263, 272, 330, 363, 508, 582, 584
Forked-5, 172, 177
Garnet, 50, 54, 172, 174, 260
Glass, 50
Glued-eye, 50, 51, 67
Gray, 176, 177
Hairless, 120
Hairy, 310, 311, 318, 338
Humpy, 505
Infra-bar, 162, 164, 166
Ivory, 66
Lozenge, 318
Miniature, 172
Miniature-3, 40
Orange, 397
Pink, 301, 309, 311, 313, 318, 321, 323, 505
Pointed, 395
Purple, 62, 397, 505, 506
Reduced, 115, 131
Rough, 314
Roughoid, 310, 318
Rough-eye, 56
Rounded, 223, 225, 228, 229
Ruffled, 223, 225–229
Sable-2, 193
Scarlet, 301, 309, 311, 318, 321, 323
Scute, 112, 114, 115, 117–124, 152, 153, 172, 175–177, 193, 204, 205, 213, 219, 261, 397, 581
Scute-1, **109**, 110, 114, 117–120, 122–125, **127**, 128, 174–177
Phenogenetic studies on, **109**, 111, 124, **127**
Scute-3, 114, 119
Scute-8, **172**, **173**–177
Scute-10, 119
Scute-11, 119
Scute-13, 119
Scute-15, 119
Shaggy, 223, 228, 229
Short, 395
Smoky, 396
Sooty, 66, 314, 318, 516, 518
Speck, 505
Spectacled, 50
Spotted, 177
Star, 51
Strap-like wings, 51, 52, 56
Stripe, 314
Stubble, 503
Stubby, 55, 57
Thread, 310, 318
Vermilion, 161, 174, 175, 177, 180, 181, 193, 196, 259–261, 263, 318, 357, 508, 512, 582
Drosophila (continued)
Gene (continued)
Vestigial, 51, 52, 54, 62, 66, 67, 117, **156**, 157
Effect of, on facet number in Bar, **156**, 157, 169, 170
White, 59, 65, 66, 172, 177, 505
Wild-type, 110, 114, 117, 123, 124, 152, 157, 167–170, 194, 205, 363, 364, 395, 582
Wingless, 51, 52
Yellow, 66, 172–177, 260, 263, 272, 363, 395, 505, 582
Helium, 231
Heterochromatin, 302
Heteropycnosis, 302, 322
hydei, 322
Hypoploids, 330
Inbreeding, 111, 158, 160
Induction of mutations by high temperature, **42**, 46
At time of heating, 57
Contamination of cultures, 50
Effect of sub-lethal temperature on crossing over, 62
Experimental work, 44
Heat treatment, 42, 44, 46, 49, 53, 54, 56, **57**, 59, 61, 62, 67, 68
Non-inherited somatic variations, 55
Parallel induction, 55
Significance of results for evolutionary theory, 62
Visible, 50
Interaction of beaded with clipped and rounded genes, 228
Interaction of genetic factors with environmental agents, 156
Interaction of shaggy with ruffled and clipped genes, 228
Kinetic theory, 157
melanogaster, **67**, **109**, 115, 117, 124, **127**, 131, 152, 156, **172**, **179**, 190, **192**, 205, **207**, **230**, 297, 321, 322, 324, 334, 335, **357**, 363, 365, 373, 374, 382, 389, 393, 400, 446, 558
Chromosome maps, 498, 500, 501
Coincidence, 498
Coincidence index, 499
Coincidence ratio, 499
Constitution tests, 194
Crossing over, **497**, **498**, 500, 502, 505, 509, 515, 520–522
Effect of age, 518, 521, 522
Effect of temperature, **517**, 521, 522
Frequency of, 581
Sister-strand, **581**, 584
Variations, 517
Crossing over in attached-X chromosomes, 192
Homozygosis, 202
Relation of strands involved in double crossovers, 197
Rightmost detected crossovers, 196
Crossing over in attached-Y chromosomes, crossover values, 201
Cytological alignment of genes, 500
Cytological map, **301**, 306, **317**
Double crossovers, 517
Effect of temperature in, 509

Drosophila (continued)
melanogaster (continued)
Egg counts, 583
Females heterozygous for closed-X chromosome, 200
Frequency of double crossovers, 518
Genic balance, 259
Interference, **498,** 515, 522
Inversion, 521, 581, 584
Inviable eggs, frequency of, 581, **582,** 584, 585
Leptotene maps, construction and use of, **502,** 506, 508, 514, 521, 522
Mutations, 501, 565
X-ray effects on, 497, 502
Recombination of genes, 501
Salivary gland, morphology of third chromosome, 301
Second chromosome, 502, 509, 513, 516–518, 522
Spermiogenesis, 324
Temperature, effect of, **357,** 359, 362
Third chromosome, 502, 516, 518, 522
Translocations, 259, 261, 498, 505, 521
Induced by X-ray, 497, 500
Second and third chromosomes, 551
Triploids, crossing over, 179, 183
Crossing over
Comparison of triploid and diploid exchange values, 187
Crossover values between different homologs, 186
Crossover values in different types of gametes, 183
Genetic constitution, 181
Progeny of $\widehat{XXX}$, 181
Prophase pairing of chromosomes, 190
Relation of autosomal disjunction and X chromosome crossing over, 188
X chromosome, 500–503, 505–507, **511,** 514, 516, 522
Crossing over in, 511
X-rays, 565
Y chromosome, 559
miranda, **377**–381, 382, 384, 386, 388–391
Chromosome, 380
Geographic distribution, 377
Hybrids, **387,** 391
Sterile, 391
Morphology, 378
New species, 377
Salivary gland chromosomes, 382, 389
Sex determination, 377, 389
Sex-determining chromosomes, 377
Sex ratio, 386
Sexual dimorphism, 380
Spermatogenesis, **382,** 383, 385, 387, 389, 390
Viability of eggs, 386, 387
X chromosome, 380, 389
Y chromosome, 381
Morphology, 167
Euchromatic portion, third chromosome, 304, 306
Mortality, 158
Mosaic formation, 172
Mottled-eye, **357,** 359–362

Drosophila (continued)
Mutations, 449, 450
Observations on structure of scute-8 chromosome, **172**
Genetic tests, 176
Position of achaete locus, 177
Position of scute-8 locus, 173
Structure, 172
Parent-offspring correlations 111, 119, 158–160
Phenotypic constitution, 196
Polar-cap stage, 234, 235, 237, 243
Polonium, 230, 231
pseudoobscura, 366–369, 373, 377–381, 382, 384, 388–391, 393, 394, 400, 401
Chromocenter, 393, 397
Chromosome differences, 397, 398
Fifth chromosome, 397
Fourth chromosome, 397
Gene arrangement, 400
Hybrid, **387,** 391
Hybrid sterility, 391, 401
Internal structure of the chromosomes, 400
Interracial crosses, 397
Interracial hybrids, sterility of, 400
Interracial inversions, 398, 399, 402
Physiological character, 380
Races, 392
Salivary gland cells, 393, 395, 401
Competitive pairing, 401
Salivary gland chromosomes, **392,** 394, 398, 399
Second chromosome, 396, 397, 399, 400, 401
Spermiogenesis, 383, 385
Sterility of hybrids, 400
Third chromosome, **397,** 401
X chromosome, 367, 392, **393,** 395–397, 399, 400, 401, 402
Y chromosome, **366**–369, 372, 373–375, 393, 398, 401
Distribution of different types, 369, 371, 372
Genetic characteristics, 372
Hybrids between strains, 372
Larval salivary glands, 373
Sterility, 372
Types of, 367, 371
Pupae, 213
Puparium formation, 212, 213
Radiation
Beta, 230
Gamma, 230
Salivary gland, 301, 302, 309, 311–315, 320, 322–325, 328, 330, 334, 520
Chromocenter, 302, 303, 304, 311, 313, 317, 322, 324, 328, 330–333, 338
Salivary gland chromosome, distortions, 303
Salivary gland map, 319, 321
Salivary gland, staining, 302–304, 316, 317
Sexual dimorphism, 163
simulans, 364, 365, 373, 374, 382, 389, 400
Effect of etherization on X-ray, 363
Lethal mutations, 364
Lethal rate, 363
Mutation rate, **363,** 365
X-ray, effect of etherization, 363–365

Drosophila (continued)
Speciation, 327
Sterility, 52, 180, 182
Sterility of intersexes, 180
Studies on the Bar series, 156
Effect of temperature on facet number, **163**, 167–169
Environmental agents, 156, 160, 161
Experimental stocks, 158
Genetic factors, 156, 161, 167
Methods, 161
Sub-gene hypothesis, **117**, 120, 125
Temperature-effective period, **127**, **128**, 131, 140–144, 146, 147, 149–155, 157, 158, 164, 169, **207**, 214, 222
Temperature experiments, 163
Third chromosome, 301, 304, 309, 312, 313, 316, 322, 332, 338
Thorax protrusions, 223, 229
Topography of third chromosome, **304**, **305**, 307, 308
Translocations, 235, 236, 301, 302, 308, 309, 311, 312, 314, 321–324, 327, 335, 550, 551
Chromocenter region, **312**, 313
Euchromatic area of left arm, 310
Euchromatic area of right arm, 313, 321
Larva heterozygous, 306, 308
Larva hyperploid for, 306
Mutual, 338
Salivary gland, 331
White ocelli, 314
Undechorionated eggs, **240**, 243
virilis, **40**, 115, 131, 223, 322
Vortex-1, 223, 226–229
Vortex-2, 223, 226–229
Vortex-3, 225, 229
Wild-type, 446, 450, 451
X chromosome, 301–304, 317, 322, 326, 338
X-ray, 545
X-ray mutation, 546
Y chromosome, 330
Drosophila Information Service, 304, 364
Dubinin, N. P., 117, 118, 122, 124
Dubreuil, G., 545
Dunn, L. C., 498, 529, 531, 536
Dzierzon, 284, 285
Dzierzon's law, 284

East, E. M., 12, **403**, 408, **414**, 415, 418, 431, 438, **443**, 448, 449
Eaton, O. N., 102, 105
Effects of Radiation on Living Organisms, Committee on, 280
Emerson, R. A., 12, 23, 192, 342, 497, 498, 500
Emerson, S. H., 187, **192**, 196, 198–200, 202, 500, 570
Emme, H., 373, 576
Emmel, V. M., 366
Epilobium, 193
Epistasty, 9
Euchlaena mexicana, 72
Evolution, 42, 43, **62**, 64–66, 68, 105
Eyster, W. H., 40, 41, 342

Ferry, L., 43
Fisher, R. A., 2, 9, 10, 64, 65, 441, 444, 447, 450
Flax, *Linum usitatissimum*, 373
Fossaria, 453
Fossil, 43
Fowl
Barnevelder, 536, 537
Barred Plymouth Rock, 530, 534–538
Black Langshan, 530, 539
Black Minorca, 538, 539
Brown Leghorn, 539
Buff Orpington, 530, 534, 535
Chromogen series, 542
Crossovers, 536
Gene
Barring, 532, 534, 536–538, 539, 541, 543
Black, 531, 535, 539
Black feathers, 537
Black plumage, 531, 532, 534, 537, 543
Extension of, 532, 534, 535, 543
Blue, 529, 531, 534, 538, 539, 543
Chromogen, 539
Columbian, 534, 535
Dark brown plumage, 531
Dark eyes, 537
Dark shank color, 531, 532, 535, 536, 537
Down color, 537
Gold, 534, 535
Gray, 531
Green, 531, 543
Inhibitor, 538, 539
Iris color, 537
Orange yellow, 531
Pearl, 531
Pinkish white, 531
Silver, 534, 535
Slate, 531, 538
White barred, 534, 535
White shank color, 531, 543
Willow, 531, 543
Yellow, 531
Yellow shank, 529, 531–533, 535, 536, 538, 543
Genes and their alleles, 540
Inheritance of shank color, **529**, 536
Jersey Black Giants, 530, 532, 533, 536, 538
Lipochrome pigment, 530
Melanic pigment, 530, 532, 535, 537–539, 543
Extension of, 533
Melanic shank color, 536
Effect of genes, **532**, 533, 537
Effect of plumage color upon, **538**, 539, 540
Plumage color series, 543
Rhode Island Reds, 530, 532–534, 538
Shank color, 531, 532, 536, 544
Effect of chromogen genes upon, 539
Effect of varying combinations of genes, 540
Silver Campine, 537
White Langshan, 539
White Leghorn, 536–538
White Minorca, 539
White Plymouth Rock, 535
White Silkie, 531, 536, 539
White skin color, **529**, 530
Yellow skin color, **529**, 530
Fragaria, 449

FRANKEN, H., 545
FREEMAN, G. F., 12
FRIESEN, H., 118, 122, 124
FROEMMING, A., 131
Fukushima Sericultural school, ix
Fungi, 193

GADOW, H., 529
Galton and Mendel Memorial Fund, 259, 466, 568
Galtonia candicans, 373, 575
GATES, W. H., 547, 566
GAUSE, G. F., 221
GAY, E. H., 357
GEERTSEN, G., 71
GEIGY, R., 232, 235
Genes controlling shape, **12**–16, 19, 20
  Evidence for existence of, **12**, 13, 19
Genetics, 9, 12, 13, 22, 43
Genetics, Fourth International Congress of, 23
  Sixth International Congress of, 43, 44
  Society, 44
GERSHENSON, 365
GILMORE, K. A., 192
GLASS, H. B., 357, 550, 551
GODFREY, 538
GOLDSCHMIDT, R., 42–44, 49, 50, 60–62, 64, 66, 67, 121, 122, 124, 152, 156, 157, 445
GOODSPEED, T. H., 286–288, 297, 403, 404, 406, 407, 414, 415, 417
GOTOH, 374
GOWEN, J. W., 54, 357
Gramineae, 447
Grasshoppers, 374
GRAUBARD, M. A., 497, 498, 507, 510, 513–515, 517, 520
GROSCURTH, M., 366
GROSSMAN, E. F., 44
Gryllolalpa vulgaris, 390
Guinea pig, **84**, 85, 96, 99, 102, 105, 106, 546
  Agnathia, 102
  Aprosopus, 102
  Atavistic little toe, 84, 86, 90, 96, 106, 107
  Breeding test, 87
  Cyclopia, 102, 105
  Description of heterozygotes, 88
  Description of homozygotes, 94
  Gene
    Hallux, 93, 101, 102
    Pollex, 88, 91–94, 101, 102
      Modifier of little toe, 100
  Genetic heterogeneity, 99, 100
  Heredity, 90
  Heterozygous mutation tending to restore pentadactyl foot, **84**, 107
  Homozygous mutation producing monstrosity, **84**, 102, 105, 107
  Microphthalmia, 88, 94, 96, 107
  Monstrosity, **84**, 87, 90, 93–96, 102, 105, 107
  Mortality, 96, 97
  Mutation
    Evidence for unit factors, 85
    Lethal effect in homozygotes, 87
  Otocephaly, **102**, 104–107
    Artificial induction, 104
  Pentadactyly, **84**, **85**–87, 96, 105
    Original ancestry, 85
Guinea pig (continued)
  Polydactyly, 88, 90–94, 96, 99, **100**, **102**, 104, 107
  Post-mortem examinations of pregnant "pollex" females, 94
  Prenatal mortality, 97
  Sterility, 84
  Vigor of heterozygotes, 96

Habrobracon, 192, **280**, 284, 285
  Biparental males, **280**–285
  Hatchability of eggs in, **280**–285
  juglandis, 280
HAGEDOORN, A. L., 536, 537
HAKANSSON, A., 286, 373
HALDANE, J. B. S., 64, 65, 192, 444
HAMLETT, G. W. D., 250
HANAU, A., 529
HANSON, F. B., 230, 363, 365
HARNLY, M. H., 117, 152, 166
Harvard Medical School, 250
Harvard University, 250, 403, 414, 443
HAYASHI, A., x
HAYES, H. K., 408, 431, 438, 448
HEBERER, G., 374
HEITZ, E., 302, 315, 320–322, 328, 373, 392, 393, 577, 578
HELWIG, E. R., 374
HERSH, A. H., 117, 220–221, 357
HERSH, R. K., 169
HERTWIG, P., 536, **546**, 550
HEYS, F., 363
HOLLANDER, W., 546, 551, 557, 559
HOOKER, 406, 407
HOPPE, E. N., 386
Hordeum, 576
  vulgare, 36
    Variation in rate of recurring plastid mutations caused by differences in sowing times, 36
HOWLAND, R. B., 233
HUMPHREY, E., 434
HUMPHREY, L. M., 1–4, 570
HUSKINS, C. L., 299, 573, 576
Hyacinths, 577
Hyperploid females, 279
    Duplication, **263**, **265**, **266**, **268**, 271, 273
    Non-disjunction, 263
    Superfemales, 272
Hypostasy, 9

IMAI, Y., **36**, 37
Imperial Academy, 41
Imperial Academy of Japan, ix
Inbreeding, 111, 158, 160
Institute of Genetics, Academy of Sciences, 363
Intersexuality, 124, 156
Iowa Agricultural Experiment Station, 1
Iowa State College, 1
ISHIWATA, S., ix
IVES, P. T., **42**, 44, 50

Jackson Memorial Laboratory, Roscoe B., **466**, **481**, **545**, 547, 566
JANSSENS, F. A., **497**
JEFFRIES, J. A., 529
Johns Hopkins University, 452

Jollos, V., 42–44, 49, 50, 54, 56, 60–62, 64–68
Jones, D. F., 448
Jull, M. A., 529, 531–533, 536
Just, E. E., 43, 61, 67
Juzepczuk, S. V., 569

Kaiser, S., 20
Kaliss, N., 581
Kanazawa Medical College, x
Karrer, E., 357
Kaufmann, B. P., 320, 322, 338, 373
Keeble, F., 12
Kerckhoff, William G., Laboratories, 179, 192
Kihara, H., 297, 299, 410
Kikkawa, 545
King, R. L., 374
Knox, C. W., 529
Koganei, Tame, x
Koller, B., 379, 382, 392
Koos, K., 4
Korteweg, R., 481
Kossikov, K. V., 363
Kostoff, D., 404, 406, 408, 410, 412
Krafka, J., 141, 164, 166, 167, 169, 207
Krafka, O., 152
Krenke, N. P., 348
Kreyberg, 586
Kuwada, Y., 189, 374
Kuzmina, N. E., 374

La Cour, L., 570
Lambert, W. V., 529
Lammerts, W. E., 286, 292, 293
Lamy, R., 397
Lancefield, D. E., 366, 368, 374, 392, 498
Lauffer, 253
Lebedeff, G. A., **223**, 225
Lepidoptera, intersexuality, 124
Lerner, M. M., 366
Lesley, J. W., 568
Lesley, M. M., 568
Lewit, S. G., 117
Lewitsky, G. A., 374
Lillie, R. S., 189
Lindegren, C. C., 192, 193
Lindstrom, E. W., 1–4, 7, 15, 570
Little, C. C., **466**, 493, 545, 564, 586
Liverworts, 193
Lizards, 64
Loeb, 586
Loomis, A. L., 357
Luce, W. M., 141, 152, 161, 164, 166, 169, 207, 220
Ludwig, D., 213
Lycopersicum, 15
  esculentum, 1, 4, 8
  pimpinellifolium, 1
Lymantria dispar, intersexuality, 156
Lymnaea, **452**, 453
  catascopium, 453
  emarginata, 452, 453, 455, 460–465
    Shell measurement, 455
    Frequency distribution, 456
    Molluscs, 454
  palustris, 452, 453, 455–459, 464, 465
    Shell measurement, 454
    Position of species, 453
  vahlii, 453
    Variation of two species, **452**, 464
Lynch, 586, 591

MacArthur, J. W., 7, 537, 569
McClintock, B., 22, 70, 72, 77, 80, 192, 374, 401, 498, 571, 578
McCray, F. A., 404, 406
McGoun, R. C., Jr., 62
Mackensen, O., 43, 275
Macy, Josiah, Jr., Foundation, 586
Maize, 12, 23, 24, 44, **70**, **71**, 73, **76**, 80, 447, 571, 576–578
  Chromosomal interchanges, **70**, **71–74**, **76**, **79**, **80**
    Catalog of known interchanges, 76
    Distribution, 79
    General characteristics, 71
    Isolation and viability of homozygous interchanges, 79
    Method of identification of chromosomes, 73
    Sources of interchanges from X-ray treatment, 80
    Terminology, 73
  Elimination for chromosome unbalance, 80
  Exchange of segments between homologous chromosomes, 22
    Accuracy of classification, 28
    Expected cytogenetic relationships, 30
  Fertility, 25, 71
  Gene
    Adherent, 23, 29, 33, 34
    Brachytic, 23, 29, 34
    Fine-striped, 23, 29, 34
    Green-striped, 23
    Low sterile, 72, 76
    Orange, 41
    Pericarp color, 23
    Red, 41
    Semisterile, 71, 76, 79, 80
    Semisterile-1, 23, 71, 72, 74
    Semisterile-2, 72, 74
    Semisterile-3, 74
    Semisterile-5, 23
    Semisterile-6, 74
    Semisterile-7, 74
    Tassel seed-2, 24
  Pollen abortion, 30, 71
  Pollen sterility, 72, 73
  Seed production, 24
  Selective elimination, 80
  Self-pollination, 79
  Sterility, 24, 28, 34, 71–73, 76
  Teosinte, 70, 72
  Variegated pericarp, 40
Maley, E., 357
Malinowski, E., **342**, 343
Mangold, 105
Mammalian monsters, 96
Maps
  Chromosome, 301, 498, 500, 501
  Crossover, **317**, 319
  Cytological, 317
  Leptotene, 502–505, 506, 508, 514, 521, 522
  Salivary gland, 319, 321

MARGOLIS, O. S., **156, 207,** 218
Marine Biological Laboratory, 581
MARSH, 590
MARTIUS, H., 545
MATHER, K., 497, 516
Matthiola, 576
MAY, H. G., 164
MEDWEDEWA, G. B., 576
MELNIKOV, A. N., 375
Mendelian analysis, **12,** 15
Mendelian ratio, 104
METZ, C. W., 115, 131, 382, 386, 390, 577
MICHAELIS, P., 193
MOHR, O. L., 51, 66
MOLLER, 453
MONDIÈRE, A. T., 253
MOORE, W. G., 245
MORGAN, L. V., 192, 200, 202, 339, 497, 498, 500, 508, 511, 512, 581, 584
MORGAN, T. H., 22, 30, 35, 51, 365, 497, 498, 500, 524
Morgan theory of crossing over, 30
Morphology, 167
Mortality, 158
MOSES, M. S., 386
Moss, 193
Moth, *Phragmatobia fuliginosa*, 373, 374
MOTT-SMITH, L. M., 42, 230
Mouse
  Age-group, 467–470, 474, 476, 477, 483, 488, 489
  Breeding, 470
  Carcinogenic agents, 586
  Chromosomal constitution, 493, 496
  Coal tar derivative, 586
  Comparison of generations, 481, 483, **491,** 493, **494**
  Deficiency, **567**
  Embryos abnormal, 551, 554–556
  Fertilization, 470, 471
  Frequency distribution, 550, 551
  Gene
    Albino, 587
    Black, **470,** 471, 488, 490
    Brown, 552, 553, **566**
    Dilute, 476, 477, 481, 490
    Dilute brown, **466**–468, 470–472, 474, 475, 488–491, 587
    Intense, 476, 477, 481, 490
    Wild-type, 547
  Generations, **476,** 478, 479, 481, 490, 493, 496
  Genes, color, 476, 481, 490, 491, 494
  Genetic technique, 546
  Inbred strain, **586,** 591
    Spontaneous carcinoma of mammary gland, 586
  Lethal gene, 552
  Lethal mutations, 549, 550, 566
    Non-production of recessive, **560,** 562
  Mammary tumor, 468–470, 472–474, 476, 481, 489, 490, 493, 495, 496
  Mammary tumor incidence, **466,** 470, 480, 488, 490, 491, 494, 496
  Mutation, 567
  Neoplasia, production of, 586, 591
  Reciprocal generations, **471,** 473, 475, 479, 481, 496
Mouse (continued)
  Semi-sterility, 552, 553–559, **566**
  Spontaneous carcinoma, mammary gland, 588, 590, 591
  Sterility, 545, 558, 559, **566**
  Stocks, 546
  Translocations, 546, 550–552, 555, 557, 558, 562, 563, 566
    Abnormalities of development, **559,** 560
    Production of, 550
    X-ray-induced, 553, 558, 560
  Tumor, 467, 470–472, 488, 587, 590, 591
    Incidence, 469, 471–473, 475, 479, 490, 491, 493, 496, 547
    Transplantation, 588
  Visible mutations, 550, 566
    Production of, **562,** 563
  X-ray-induced deficiency, 560
  X-ray-induced mutation, 563
  X-rays, 545, 546, 556, 559, 562, 566
    Hereditary changes induced by, 545
  X-ray treatment, 563
  Y Chromosome, 559
MOZLEY, A., **452,** 453, 464
MULLER, H. J., 42–44, 49, 50, 53, 54, 64–66, 219, **230,** 237, 259, 320–323, 339, 357, 365, 452, 453, 497, 502–505, 545, 546, 558, 565, 584
MUNTZING, A., 404, 408, 410, 412
MURPHY, D. P., 545
MURRAY, W. S., **466,** 469, 470, 590
Muscari, 576
Muscari tenuiflorum, 575
Mutations
  Defective gene, 450
  Lethal, **230, 237**–244
    Alpha-rays, **246**–248
    X chromosome, **237**–239
    X-rays, **246**–248
  Method of artificial induction, 42
  Non-defective gene, 448, 450

National Research Council, 278, 280, 452
Natural selection, 42, 64, 65
NAVASHIN, M., 339, 576
NAVASHIN, S., 373, 374, 575
Neurospora, 192, 193
New York University, **109,** 127, **156,** 207
NICHOLS, J. B., 254
Nicotiana, 403, 404, 407, 412, 414, 415, 422, 440, 441, 448–450
  acuminata, 403, 406, 407, 419
  alata, 403, 404, 407, 408, 417, 427, 428, 431, **441**
  American species, 403
  Amphidiploidy, 287, 293
  attenuata, 403
  Australasian species, 403
  Bigelovii, 403, 404, 406–409, 414–417, 419, 422–424, 430, 432, 435, 436
  Bigelovii quadrivalvis, 424, 425, 427, 428, **431,** 433
  bonariensis, 403
  caudigera, 403, 406–408, 419
  Cavanillesii, 403, 406, 407
  Color reactions, 416
  Compatibility, **403,** 405, 408, 412, 414

Nicotiana (continued)
cordifolia, 403
Corolla color, 415
corymbosa, 406, 407
Dominance, **443–445**, 451
Flower measurements, 418–421
Flower reaction patterns, **418**, 423, 433
Flower types, 431
Gene combinations, 423
Genetic reactions, **403**, **414**, 419, **443**, 445, 449
Genic isomers, 447, 450
glauca, 403, 406–408, 414–419, 422, 423, 426–429, 431, 432, 437, 438, 440
glutinosa, 403, 414–418, 425, 428, 432, 433–435, 437, 438, 440
grandiflora, 297
Haploids, 449
Heterosis, 408, 422
Iron aceto-carmine smears, 293
Langsdorffii, 403, 408, 409, 414–419, 422, 426–428, 435–437
Leaf reaction patterns, 433
Leaf shape, petioled types, 415
longiflora, 403, 404, 406, 409, 414–416, 419, 422, 425, 428, 429, 431, 435–438, 440
macrophylla, 288, 297
Monosomic condition, transmission through pollen, 297
Monosomic plants, 291, 293
Monosomic types of, **286**, 287, 289, 293, 299
Morphology of, 288
Mutation frequency, 443, 445, 446, 448, 450
Mutations, 447
nesophila, 403
Non-conjunction of F chromosome, 288
nudicaulis, 406, 407, 414, 427, 428, 430, 431
nullosomic, 291
Palmeri, 406
pampasana, 403
paniculata, 403, 409, 410, 414–416, 418, 419, 422, 426, 429–432, 434, 435, 438, 440
Parthenocarpy, 408
Phenotypic reaction patterns, **414**, 416
Plant reactions, 415
plumbaginifolia, 403, 404, 422, 428, 431
Pollen, 291, 295
Pollen production and morphology, 290
Pollen tube, 408
Polymorphism, 414
purpurea, 287, 288, 290, 292, 297, 299
quadrivalvis, 404, 424
Raimondii, 403
repanda, 403, 406, 407
rustica, 292, 293, 403, 406, 410, 414–417, 419, 426, 427, 429, 432, 434, 440, 441, 448, 449
humilis, 406, 423
texana, 406, 424, 429, 438
Sanderae, 403, 404, 408, 414–418, 419, 422, 425, **426**, 428–430, 432, 435, 436, 438, 440
Seed production, 290
solanifolia, 403
Stocktoni, 403
suaveolens, 403, 406–409, 415, 417, 424, 428, 429, 431, 434, 435, 437, 438
sylvestris, 287, 403, 409, 414, 416, 417, 419, 428, 429, 431, 432, 438, 440

Nicotiana (continued)
Tabacum, **286**–288, 297, 299, 403, 406, 407, 409, 414–419, 422, 425, 428–433, 435, **436**, 438, 439, 448
Tabacum macrophylla, 430–433
tomentosa, 287, 403, 404, 406, 409, 416–419, 427, 428, 430–432
tomentosiformis, 403, 404, 407, 419, 427–433, 437, 438
Transmission of monosomic condition, **290**, 299
trigonophylla, 403, 406, 407, 414, 419, 424, 427–429, 431
undulata, 403
Univalent elimination in monosomic plants, 294
viscosa, 403
wigandioides, 403
X-ray, 286
NISHIYAMA, I., 286, 293, 298, 299, 410
North Carolina Experiment Station, 280
North Carolina State College of Agriculture and Engineering, 280
NURNBERGER, L., 545, 546

Oats, fatuoid, 298, 299, 447
OEHLKERS, F., 342
Oenothera, 374
OFFERMANN, C. A., 364
OLBRYCHT, T. M., 508, 511
OLMO, H. P., 286
Ontogeny, 168
Optic primordium in Drosophila, 161
Orthoptera, *Gryllotalpa vulgaris*, 373, 374

PAINTER, T. S., 274, 277, **301–303**, 320, 321, 323, **327**, 329, 334, 336–339, 357, 380, 392, 393, 497, 498, 500–502, 505, 520, 565
Partula, 452
Paspalum stoloniferum, 374
PATTERSON, J. T., **172**, 177, **259**, **302**, 323, 327, 357, 565
PAYNE, F., 115, 131, 373
Pea, 12
PELLEW, C., 12
Pepper, 9, 20
Peromyscus, 447
Petunia, **342**, 348, 355
Chimera, periclinal, 349
Chimera, sectorial, 344
Chromosome, somatic, 353
Extreme flower types, **342**, 354, 355
Flower type, 343
Mosaic color pattern, 342
Mosaic flower, 343–347, 351, 352
Mutation, 349, 350
nyctaginiflora, 343
Pollen grains, 352, 355
Pollen sterility, 349, 355
Satellite chromosome, 353
Seed germination, **351**, 355
Unstable characters, 342
Unstable race, **342**, 343, 349, 350, 352, 353–355
violacea, 342, 343, 349, 352–355
Chromosome, 353
Satellite, 353

Phaseolus, 12
PHILLIPS, E. F., 284
Philosamia cynthia, 374
PHILP, J., 576
Phrynotettix, 578
PICKEN, 546, 559
Pigeon, 12
PINCUS, G., 547, 566
Pisum, 374
Planorbis, 453
Planorbula, 453
Plant ontogeny, 41
PLATT, F. L., 539
PLOUGH, H. H., 42, 44, 62, 517, 518
PLUNKETT, C. R., 109–111, 114, 116, 120, 122–124, 131, 141, 152, 156, 157, 160, 161, 168, 170, 219, 444
Poland, Institute of Genetics, 342
Polyploid, 577
POULSON, D. F., 366, 380, 392
POWERS, L., 286, 298, 299
POWSNER, L., 128, 166
PROMPTOV, A. N., 44
PUNNETT, R. C., 444, 497, 529, 531, 532, 539

Quadruplets, 251
QUINN, 538

Rabbits, 450
Racial frequencies, 250
RANDOLPH, L. F., 44
Ranunculus acris, 373
RASMUSSON, J., 9
REDFIELD, H., 43, 179, 497, 501, 513, 515, 516
REGAUD, C., 545
REITH, F., 161
REUTER, E., 339
Rhagoletis, 161
RHOADES, M. M., 70, 192, 202, 205, 497, 498, 500
Rice Institute, 230
ROBB, R. C., 20
ROKITZKY, P. T., 43
Rosa, 374
Royal Society of Edinburgh, 454, 457
RUDKIN, C. N., 366
Rye, 374, 447

SACHSOWA, M., 352
SANSOME, F. W., 3, 6
SAUNDERS, E. R., 497
SAX, K., 192, 204
SCHAPIRO, N. T., 43
SCHEPELJEVA, H., 373
SCHMUCK, M. L., 386
SCHRADER, F., 390, 578
SCHUGT, 545
SCHULTZ, J., 43, 118–120, 122, 179, 278, 500
SCHWEITZER, M. D., **497**, 499, 508, 512, 514, **581**
Sciara, 386, 390
Scirpus palustris, 373
SEILER, J., 373, 374
SEREBROVSKY, A. S., 117, 536
SETCHELL, W. A., 415
SEWERTZOFF, 64
Sex Ratio, **250**, 253, 257
Sexual dimorphism, 163
SEYSTER, E. W., 164, 207
SIDOROFF, B. N., 43
SIDOROV, B. N., 172
SINNOTT, E. W., **12**, 20, 414
SIRKS, M. J., 12, 19
SLYE, 586
SMITH, T. J., 44
Smithsonian Institution, 457
SMÓLSKA, A., 343, 352, 353
Snail, 452
SNELL, G. D., **545**, 546, 548, 551, 559, 564
SNODGRASS, R. E., 161
SÔ, M., 36
Solanum, 571
Solenobia pineti, 374
Solenobia triquetrella, 374
SOROKIN, H., 373
SPEMANN, 105
SPENCER, W. P., 357
Sphaerocarpos, 192
SPRAGUE, G. F., 77
Squash, 17
STADLER, L. J., 73, 77, 80, 558
Stagnicola, 453
Stain
  Aceto-carmine, 29, 302, 315, 328
  Acid fuchsin, 570
  Benda, 367
  Bouin-Allen, 354
  Feulgen, 353, 354
  Fleming, 367, 382
  Gentian violet, 570
  Iron aceto-carmine, 293
  Iron haematoxylin, 367
  Navashin, 353, 570
  Safranin, 570
STANDLEY, P., 579
STANLEY, 117, 152
STERN, C., 22, 373, 498, 517, 518, 577
STOCKARD, C. R., 84, 105
STONE, W., **172**, **259**, 260, 302, 313, 323, 326, **327**, 330, 337, 340
STRANDSKOV, H. H., 545
STRONG, L. C., 547, **586**
STURTEVANT, A. H., 43, 118–120, 122, 161, 167, 196, 202, 338, 366, 372–374, 377, 378, 392, 395–398, 400, 497, 498, 500, 551, 584
SUCHE, M., 259, 301, 302, 327, 334
SUMNER, F. B., 447, 465
SURRARRER, T. C., 357
SUTTON, W. S., 497
SWESCHINIKOWA, I., 374
SWIGERT, 51

TAN, C. C., 375, 389, **392**
TAVČAR, A., 12
TELEZYŃSKI, H., 349, 352, 353, 355, 356
Teosinte, 70, 72
Texas, University of, **259**, **301**, **327**, 545, 550, 565, 566
Thalictrum, 577
THOMPSON, W. P., 404, 408, 410
THOMSEN, M., 374
TIMOFÉEFF-RESSOVSKY, N. W., 54, 66, 365, **446**
TIPPET, L. H. C., 159

Titova, N. N., 374
Tohoku Imperial University, x
Tokyo Imperial University, 36
Tokyo Komaba College of Agriculture and Forestry, ix
Tomato, 1, 2, 4, 6, 7, 9, 10, **568**, 570–572, 575–579
  Callus technique, 1
  Chromatid segregation, 2, 3, 11
  Chromosome of, 571, 577
    Size of, 570
  Cytological technique, 570
  Decapitation-callus sprouts, 4
  Diakinesis, 569, 570–572
  Domestic species, 1, 10, 11
  Dominance relations of size characters, 1
  Fertility, 2
  First chromosomes, 569
  Fruit shape, 6–8, 10, 11
  Fruit size, 2–11
  Fruit weight, 2, 3, 8
  Gametic sterility, 1, 4
  Genetic evidence, 576
  Heteromorphic A chromosome, 568
  Inheritance, 8, 9
  Intercalary satellite, 571
  King Humbert, 568
  Lycopersicum cerasiforme, 568, 579
    esculentum, 570, 572, 578, 579
    Humboldtii, 568, 579
    peruvianum, 572, 574, 579
    pimpinellifolium, 568, 570, 572, 579
  Meiosis, chromosome in, 571
  Metaphase, 570, 571, 573, 575
  Mitosis, chromosome in, 571
  Norton, 568
  Nucleolar chromosome, 578
  Occurrence of chromosome types, 568
  Pachytene, 571, 573, 579
  Pollen mother cells, 568, 570, 571, 573
    Nucleolus in, 568
  Quantitative hereditary characters, 1, 9, 10
  Red currant, 1, 7
  Satellite size, **568**, 569, 575
  Satellite, terminal, 571
  Seed development, 4
  Segregation, 5, 7
  Segregation of genes, 576
  Segregation of quantitative genes in tetraploid hybrids, 1
  Self-fertilization, 569
  Similarity to behavior of qualitative genes, 10
  Somatic mitosis, 570
  Sterility, 2, 4
  Tetraploid hybrid, 1–6, 10
  Transmission of chromosome types, 568
  Wild species, 1, 7, 8, 10, 11
  Yellow Peach, 568
Toronto, University of, 569
Toyama, K., Frontispiece
Toyama, Kametaro, ix
Toyama, Kanzaburo, ix
Toyama, Moto, x
Tradescantia, 374
Trankowsky, D. A., 340
Translocations, 301, 302, 308, 309, 311, 312 314, 321–324, 327, 335, 374
  Chromocenter region of Drosophila, 312, 313
  Euchromatic area of left arm of Drosophila, 310
  Euchromatic area of right arm, 313, 321
  Larva heterozygous, 306
  Larva hyperploid, 306
  Mutual, 338
  Salivary gland, 331
  White ocelli, 314
Triplets, 251, 253
Twins, 251, 253
  American whites, **250**, 251, 254
  Amerinds, 251
  Asiatics, 251
  Belgium, 252
  Birth, 250
  Colored races, **252**, 254
  Fraternal, 254
  Geographical variations, **250**, 255
  Identical, 254
  Prussia, 250, 251
  Scandinavia, 252
  Uruguay, 252

Ultra-violet rays, 44, 64
United States Bureau of Animal Industry, 84, **529**
United States National Museum, 453
University
  Agriculture College of Tokyo, Imperial, ix
  California, **286**, 290, 403, 568
  Chicago, 84
  Columbia, **497**, 498, **581**
  Harvard, 250, 403, 414, 443
  Johns Hopkins, 452
  New York, **109**, **127**, **156**, 207
  Texas, **259**, **301**, 327, 545, 550, 565, 566
  Toronto, 569
  Tokyo Imperial, 36
  Western Reserve, 357
  Wisconsin, **22**, 34
  Yale, 586

Vavilov, N. I., 10
Veit, G., 250, 251
Vicia, 12, 19, 577, 578
  angustifolia, 374
Viola kitaibeliana, 373
Voinov, D., 373, 390
Vries, de, H., 342

Wagner, K., 105
Wallace, 452
Ward, F. D., 230
Warner, R. C., 366
Warren, D. C., 529, 531–533, 536
Washington Square College, **156**, 207
Wassina, E. T., 536
Watkins, A. E., 404, 408, 410, 412
Weberbauer, A., 579
Weinstein, A., 192, 202, 357, 497, 499, **500**, 524, 584
Wenrich, D. H., 578
Western Reserve University, 357
Wettsteins, F. von, 193, 440

Wheat 12, 298
  Spelt, 299
WHITING, A. R., 280
WHITING, P. W., 192, 280, 281
WILSON, E. B., 339, 373, 520, 577, 578
WINIWARTER, DE, H., 373
WINKLER, H., 571
Wisconsin Alumni Research Foundation, 34
Wisconsin, University of, **22**, 34
WIZNIEWSKA, E., 356
WRIEDT, C., 12
WRIGHT, S., 64, 66, **84**, 86, 91, 102, 105, 106, 443–445, 564

X-hyperploid females, **259**–261, 263, 264, 274, 276, 278
  Effects of duplication on fertility and viability, 276
  Sexual balance, 278
  Sterility produced by different duplication, 278
X-radiation, 259
X-rays, 230, 245–248
  Producing lethal mutations, **246**–248

Yale University, 586
YAMAMOTO, T., 545
Yeast, 110, **161**
Yorkshire Council, 586
YULE, G. U., **112**

Zea Mays, 22, 34, 192, 374, 401, 445
ZELENY, C., 10, 167